



## Testing Summary Dell 7030 Tablet Docking Station

(7160-1882)

### Summary of Tests Performed at Gamber-Johnson

Test Description	Test Parameters
Vibration – Operational Test date: August, 2023	MIL-STD-810G, Method 514.6, Procedure 1, Category 4, per Figure 514.6C-1. Test duration is one hour along three mutually orthogonal axes – not simultaneously (3 hours total). <ul style="list-style-type: none"> <li>• Unit is unlocked</li> </ul>
Vibration – Non-Operational (Minimum Integrity) Test date: August, 2023	MIL-STD-810G, Method 514.6, Category 24, per Figure 514.6E-1. Test duration is one hour along three mutually orthogonal axes – not simultaneously. <ul style="list-style-type: none"> <li>• Unit is unlocked</li> </ul>
Functional Shock - Non-Operational Test date: August, 2023	MIL-STD-810G, Method 516.6, Procedure 1, 3 positive and 3 negative pulses each axis (vertical, longitudinal and transverse), 18 pulses <ul style="list-style-type: none"> <li>• 20G, 11ms half sine</li> <li>• Unit is unlocked</li> </ul>
Mechanical Shock Safety - Non-Operational Test date: August, 2023	MIL-STD-810G, Method 516.6, Procedure 1, 3 positive and 3 negative pulses each axis (vertical, longitudinal and transverse), 18 pulses <ul style="list-style-type: none"> <li>• 40G, 11ms half sine</li> <li>• Unit is unlocked</li> </ul>
Electrostatic Discharge – Operational Test date: December, 2023	ISO 10605, Section 8, Table C.2, Category 2 – Direct Air Discharge

### Summary of Tests Performed at Independent Facility

Test Description	Test Parameters
Humidity Test date: December, 2023	MIL-STD 810G, Method 507.5, Procedure II, Aggravated, Table 507.5- I <ul style="list-style-type: none"> <li>• Ten 24-hour cycles, temperature varied from 30°C to 60°C to 30°C at constant 95% relative humidity.</li> </ul>
Thermal Shock Test date: December, 2023	85°C to -40°C, Non-Operating <ul style="list-style-type: none"> <li>• 2hrs at each temperature, 50 cycles</li> </ul>

*An ISO 9001:2015 certified company*

---

Gamber-Johnson LLC · 5001 Joerns Drive · Stevens Point, Wisconsin 54481  
 PHONE: 1-715-344-3482 · FAX: 1-715-344-5209 · EMAIL: [gamberj@gamberjohnson.com](mailto:gamberj@gamberjohnson.com) ·  
[www.gamberjohnson.com](http://www.gamberjohnson.com)



Low Temperature: Operational Test date: December, 2023	MIL-STD 810G, Method 502.5, Procedure II <ul style="list-style-type: none"> <li>-20°C Operating, 24-hour duration</li> </ul>
Low Temperature: Storage Test date: December, 2023	MIL-STD 810G, Method 502.5, Procedure I <ul style="list-style-type: none"> <li>-40°C Non-Operating, 24-hour duration</li> </ul>
High Temperature: Operational Test date: December, 2023	MIL-STD 810G, Method 501.5, Procedure II, Table 501.5-II, Induced Conditions <ul style="list-style-type: none"> <li>Five 24-hour cycles, temperature varied from 30°C to 60°C to 30°C</li> </ul>
High Temperature: Storage Test date: December, 2023	MIL-STD 810G, Method 501.5, Procedure I, Table 501.5-III, Induced Conditions <ul style="list-style-type: none"> <li>Seven 24-hour cycles, temperature varied from 33°C to 71°C to 33°C</li> </ul>
EMC Testing Test date: December, 2023	EN 55032:2015 <ul style="list-style-type: none"> <li>CISPR 32 – Class B</li> <li>FCC Part 15, Subpart B – Class B</li> </ul>
EMC Testing Test date: December, 2023	EN 50498:2010
Shock – Crash Hazard Test date: September, 2023	SAE J1455, Section 4.11.3.5, per Figure 13 Unit is unlocked

**Other Certifications**

<b>Description</b>
EN 50581:2012 RoHS2 Directive 2011/65/EU

*An ISO 9001:2015 certified company*